



JAY SHREE ASHAPURA ENG.WORKS

✚ Moon Nagar Chowk-2, Morbi, Gujarat-363641

📞 : +91 9737586319 / 7990456489

**MACHINERY
CATALOGUE**

2026

MODEL (AEW :001): Fully Automatic 4 Pcs. Fly Ash Bricks Making Machine



MACHINE DETAILS	
MACHINE	Body: Heavy Duty 1 Piece : M.S fabricated stationary chassis of angles, channels and Sheet fitted with hydraulic jacks for compression of 3000 PSI maximum Hydraulically operated power pack with 7.5 HP Ac Motor, oil cooling system. 1 HP Plate Vibratng System.
CAPACITY	Fly Ash Bricks - 4 Pcs. In One Operation. Brick size: 9"×4"×3" , Bricks Production : 5500 to 6000 Pcs. Per Shift
PAN MIXER	Pan Mixer 1 Pcs. : 5 feet Pan Mixer with 7.5 HP Motor, oil fitted reduction gear box feeding hoper with a capacity to mix 500 kg raw materials
CONVEYOR BELT	Conveyor Belt 1 Pcs. : to shift mixed activated raw material from pan mixer to the hopper of the press. 18 feet long rubber conveyor belt is mounted on structural fitted with 2 HP Motor.
POWER PACK	High Pressure , Low Pressure Pump, Control valve,PCM, Pressure Gauge, Pipe line, Oil Tank Capacity 350 Litter, PLC Panel Board Etc.
TOTAL POWER	18 HP/14 kw connection
PALLET TRUCK	It Is Used to Pick up Finished stocks from the machine and place them in the storage area. this is a Manually hand operated 2 Wheel trolly.
MAN POWER	Total : 6 to 7 (1 person skilled)


MODEL (AEW :002): Fully Automatic 6 Pcs. Fly Ash / Concrete Bricks Making Machine



MACHINE DETAILS

MACHINE	Body: Heavy Duty 1 Piece : M.S fabricated stationary chassis of angles, channels and Sheet fitted with hydraulic jacks for compression of 3000 PSI maximum . Hydraulically operated power pack with 7.5 HP Ac Motor, sweep,oil cooling system. Plate Vibrating System With 1 HP Vibrator.
CAPACITY	Fly Ash Bricks – 6 Pcs. In One Operation. Brick size: 9"×4"×3" , Bricks Production : 7500 to 8500 Pcs. Per Shift
PAN MIXER	Pan Mixer 1 Pcs. : 1800 mm Diameter fabricated with structural mild steel with replicable inner fitted with 7.5 HP Motor, oil fitted reduction gear box feeding hoper with a capacity to mix 500 kg raw materials
CONVEYOR BELT	Conveyor Belt 1 Pcs. : to shift mixed activated raw material from pan mixer to the hopper of the press. 18 feet long rubber conveyor belt is mounted on structural fitted with 2 HP Motor
POWER PACK	High Pressure , Low Pressure Pump, Control valve,PCM, Pressure Gauge, Pipe line, Oil Tank Capacity 300 Litter, PLC Panel Board Etc.
TOTAL POWER	18 HP/14 kw connection
PALLET TRUCK	Pallet truck 1 Piece: To lift the raw material and stocks to one to another place this is a manually operated on structural mild steel chassis with tyres
MAN POWER	Total : 6 to 7 (1 person skilled)
NOTE	With Toolbox Free

MODEL (AEW :003) : Fully Automatic 8 Pcs. Fly Ash / Concrete Bricks Making Machine




Fly Ash Bricks




Hollow Block



Solid Block



I shape Paver




ZigZag Paver

MACHINE DETAILS

MACHINE	Body: Heavy Duty 1 Piece : M.S fabricated stationary chassis of angles, channels and Sheet fitted with hydraulic jacks for compression of 3000 PSI MAXIMUM. Hydraulically operated power pack with 7.5 HP Ac Motor, sweep,oil cooling system. Plate Vibrating System With 2 HP Vibrator.
CAPACITY	Fly Ash Bricks – 8 Pcs. In One Operation. Brick size: 9"×4"×3" , Bricks Production : 10,500 to 11,500 Pcs. Per Shift
PAN MIXER	Pan Mixer 2 Pcs. : 1500 mm Diameter fabricated with structural mild steel with replicable inner fitted with 7.5 HP Motor, oil fitted reduction gear box feeding hoper with a capacity to mix 400 kg raw materials
CONVEYOR BELT	Conveyor Belt 1 Pcs. : to shift mixed activated raw material from pan mixer to the hopper of the press. 18 feet long rubber conveyor belt is mounted on structural fitted with 2 HP Motor
POWER PACK	High Pressure , Low Pressure Pump, Control valve,PCM, Pressure Gauge, Pipe line, Oil Tank Capacity 350 Litter, PLC Panel Board Etc.
TOTAL POWER	27 HP/20KW connection
PALLET TRUCK	Pallet truck 2 Piece: To lift the raw material and stocks to one to another place this is a manually operated on structural mild steel chassis with tyres
MAN POWER	Total : 8 to 10 (1 person skilled)
NOTE	With Toolbox Free


MODEL (AEW :004) : Fully Automatic 10 Pcs. Fly Ash / Concrete Bricks Making Machine



MACHINE DETAILS

MACHINE	Body: Heavy Duty 1 Piece : M.S fabricated stationary chassis of angles, channels and Sheet fitted with hydraulic jacks for compression of 3000 PSI MAXIMUM Hydraulically operated power pack with 10 HP Ac Motor, sweep,oil cooling system. Plate Vibrating System With 2 HP Vibrator.
CAPACITY	Fly Ash Bricks – 10 Pcs. In One Operation. Brick size: 9"×4"×3" , Bricks Production : 14,000 Pcs. Per Shift
PAN MIXER	Pan Mixer 2 Pcs. : 1500 mm Diameter fabricated with structural mild steel with replicable inner fitted with 7.5 HP Motor, oil fitted reduction gear box feeding hoper with a capacity to mix 400 kg raw materials
CONVEYOR BELT	Conveyor Belt 1 Pcs. : to shift mixed activated raw material from pan mixer to the hopper of the press. 18 feet long rubber conveyor belt is mounted on structural fitted with 2 HP Motor
POWER PACK	High Pressure , Low Pressure Pump, Control valve,PCM, Pressure Gauge, Pipe line, Oil Tank Capacity 400 Litter, PLC Panel Board Etc.
TOTAL POWER	29 HP/20 KW connection
PALLET TRUCK	Pallet truck 2 Piece: To lift the raw material and stocks to one to another place, this is a manually operated on structural mild steel chassis with tyres
MAN POWER	Total : 7 to 8 (1 person skilled)
NOTE	With Toolbox Free

MODEL (AEW :005): Fully Automatic 12 Pcs. Fly Ash/Concrete Bricks Making Machine



MACHINE DETAILS	
MACHINE	Body: Heavy Duty 1 Piece : M.S fabricated stationary chassis of angles, channels and Sheet fitted with hydraulic jacks for compression of 3000 PSI MAXIMUM. Hydraulically operated power pack with 10 HP Ac Motor, sweep,oil cooling system. Plate Vibrating System With 2 HP Vibrator.
CAPACITY	Fly Ash Bricks – 12 Pcs. In One Operation. Brick size: 9”×4”×3” , Bricks Production : 17,000 Pcs. Per Shift
PAN MIXER	Pan Mixer 2 Pcs. : 1500 mm Diameter fabricated with structural mild steel with replicable inner fitted with 7.5 HP Motor, oil fitted reduction gear box feeding hoper with a capacity to mix 400 kg raw materials
CONVEYOR BELT	Conveyor Belt 1 Pcs. : to shift mixed activated raw material from pan mixer to the hopper of the press. 18 feet long rubber conveyor belt is mounted on structural fitted with 2 HP Motor
POWER PACK	High Pressure , Low Pressure Pump, Control valve,PCM, Pressure Gauge, Pipe line, Oil Tank Capacity 400 Litter, PLC Panel Board Etc.
TOTAL POWER	29 HP/22KW connection
PALLET TRUCK	Pallet truck 2 Piece: To lift the raw material and stocks to one to another place, this is a manually operated on structural mild steel chassis with tyres
MAN POWER	Total : 8 to 10 (1 person skilled)
NOTE	With Toolbox Free

MODEL (AEW :006) : Manually Bricks and Paver Block Making Machine



MACHINE DETAILS

MACHINE	Body: M.S fabricated stationary chassis of angles, channels and Sheet fitted with hydraulic jacks for compression of 70 ton Hydraulically operated power pack with 5 HP Ac Motor, sweep,oil cooling system.
CAPACITY	Bricks Production : 1500 Pcs. (1 shift) Brick size: 9×4×3 Blocks Production : 1500 Pcs.(1 shift) Block name: I-shape, Zigzag.... Etc
TOTAL POWER	10 HP connection
SYSTEMS	Two side Working system Machine
OIL TANK CAPACITY	200 liters.
PAN MIXER	Pan Mixer 1 Pcs. : 1500 mm Diameter fabricated with structural mild steel with replicable inner fitted with 5 HP Motor, oil fitted reduction gear box feeding hoper with a capacity to mix 350 kg raw materials
PALLET TRUCK	Pallet truck 1 Piece: To lift the raw material and stocks to one to another place this is a manually operated on structural mild steel chassis with tyres
NOTE	With Toolbox Free


**MODEL NO (AEW :007): Semi Automatic
Bricks & Paver Blocks Making Machine**




MACHINE DETAILS

MACHINE	Body: M.S fabricated stationary chassis of angles, channels and Sheet fitted with hydraulic jacks for compression of 70 ton Hydraulically operated power pack with 7.5 HP Ac Motor, sweep,oil cooling system.
CAPACITY	Bricks Production : 3500 Pcs. (1 shift) Brick size: 9×4×3 Blocks Production : 2500 Pcs.(1 shift) Block name: I-shape, Zigzag.... Etc
TOTAL POWER	15 HP connection
SYSTEMS	Two side Working system Machine
OIL TANK CAPACITY	250 liters.
PAN MIXER	Pan Mixer 1 Pcs. : 1500 mm Diameter fabricated with structural mild steel with replicable inner fitted with 7.5 HP Motor, oil fitted reduction gear box feeding hopper with a capacity to mix 400 kg raw materials
PALLET TRUCK	Pallet truck 1 Piece: To lift the raw material and stocks to one to another place this is a manually operated on structural mild steel chassis with tyres
NOTE	With Toolbox Free


MODEL (AEW :008) : Paver Block Machine (VIBRATOR TABLE UNIT)




Checked Tiles




Bricks




Cosmic



Hexagon Paver



Damru Paver



Kerb Stone



MACHINE DETAILS

VIBRATOR TABLE	Automatic vibrator rubber mould moving & vibrating. Table Size : 10'×3' Feet Motor : 2 HP three phase (2800 rpm)
COLOR MIXER	Color mixer : 1 Pcs. Manufacturing : For the purpose of mixing a color , first layer of Paver Block Motor : 2 HP three phase Capacity : 80 kgs. To 100 kgs.
PAN MIXER	Pan Mixer 1 Pcs Capacity: 400 kgs. To 500 kgs. / batch Motor: 5 HP to 7.5 HP three Phase Manufacturing : Mixing of raw materials of Paver Blocks Discharge (manual) : bottom door opening.


**MODEL (AEW :009) : High Pressure
Paver Block Machine (with center D
MOULDING system)**



MACHINE DETAILS

MACHINE	Body: M.S fabricated stationary chassis of angles, channels and Sheet fitted with hydraulic jacks for compression of 70 ton Hydraulically operated power pack with 7.5 HP Ac Motor, sweep,oil cooling system.
CAPACITY	Blocks Production : 2500 to 3000 Pcs.(1 shift) Block name: I-shape, Zigzag.... Etc
TOTAL POWER	12.5 HP connection
SYSTEMS	Two side Working system Machine
OIL TANK CAPACITY	250 liters.
PAN MIXER	Pan Mixer 1 Pcs. : 1500 mm Diameter fabricated with structural mild steel with replicable inner fitted with 7.5 HP Motor, oil fitted reduction gear box feeding hopper with a capacity to mix 400 kg raw materials
PALLET TRUCK	Pallet truck 1 Piece: To lift the raw material and stocks to one to another place this is a manually operated on structural mild steel chassis with tyres
NOTE	With Toolbox Free

**MODEL (AEW :0010) : Fully Automatic
8 Pcs. Paver Block Making Machine**



MACHINE DETAILS

MACHINE	Body: Heavy Duty 1 Piece : M.S fabricated stationary chassis of angles, channels and Sheet fitted with hydraulic jacks for compression of 3500 PSI MAXIMUM Hydraulically operated power pack with 15 HP Ac Motor, sweep,oil cooling system. Plate Vibrating System With 2 HP Vibrator.
CAPACITY	Paver BLocks – 8 Pcs. In One Operation. Blocks: zigzag, i-shape, etc design. Production : 10,000 to 11,000 Pcs. Per Shift
PAN MIXER	Pan Mixer 2 Pcs. : 1500 mm Diameter fabricated with structural mild steel with replicable inner fitted with 10 HP Motor, oil fitted reduction gear box feeding hoper with a capacity to mix 500 kg raw materials
CONVEYOR BELT	Conveyor Belt 1 Pcs. : to shift mixed activated raw material from pan mixer to the hopper of the press. 18 feet long rubber conveyor belt is mounted on structural fitted with 2 HP Motor
POWER PACK	High Pressure , Low Pressure Pump, Control valve,PCM, Pressure Gauge, Pipe line, Oil Tank Capacity 450 Litter, PLC Panel Board Etc.
TOTAL POWER	39 HP/29 KW connection
PALLET TRUCK	Pallet truck 2 Piece: To lift the raw material and stocks to one to another place this is a manually operated on structural mild steel chassis with tyres
COLOR DRUM	For the purpose of making first layer of Paver Block Power : 2 HP
MAN POWER	Total : 8 to 10 (1 person skilled)
NOTE	With Toolbox Free

**MODEL (AEW :011) : Fully Automatic
10 Pcs. Paver Block Making Machine**



MACHINE DETAILS

MACHINE	Body: Heavy Duty 1 Piece : M.S fabricated stationary chassis of angles, channels and Sheet fitted with hydraulic jacks for compression of 4000 PSI maximum. Hydraulically operated power pack with 15 HP Ac Motor, sweep,oil cooling system. Plate Vibrating System With 3 HP Vibrator.
CAPACITY	Paver Blocks – 10 Pcs. In One Operation. Blocks: zigzag, i-shape, etc design. Production : 12,000 to 14,000 Pcs. Per Shift
PAN MIXER	Pan Mixer 2 Pcs. : 1500 mm Diameter fabricated with structural mild steel with replicable inner fitted with 10 HP Motor, oil fitted reduction gear box feeding hopper with a capacity to mix 500 kg raw materials
CONVEYOR BELT	Conveyor Belt 1 Pcs. : to shift mixed activated raw material from pan mixer to the hopper of the press. 20 feet long rubber conveyor belt is mounted on structural fitted with 3 HP Motor
POWER PACK	High Pressure , Low Pressure Pump, Control valve,PCM, Pressure Gauge, Pipe line, Oil Tank Capacity 500 Litter, PLC Panel Board Etc.
TOTAL POWER	42 HP/31 kw connection
PALLET TRUCK	Pallet truck 2 Piece: To lift the raw material and stocks to one to another place this is a manually operated on structural mild steel chassis with tyres
COLOR DRUM	For the purpose of making first layer of Paver Block Power : 2 HP
MAN POWER	Total : 8 to 10 (1 person skilled)
NOTE	With Toolbox Free

**MODEL (AEW :012) Manual 4
Brick And Block Making Machine**

- ✚ 4 Bricks Making Machine
- ✚ 1 HP Vibrator Motor
- ✚ With Feeder box Joint System



MODEL (AEW :013) Concrete Mixer



- ✚ 1 BAG Concrete Mixer
- ✚ 3/5 HP MOTOR Connection
- ✚ MS Iron/ Casting Yok

**MODEL (AEW :014) Semi Automatic
8 Bricks Making Machine**



MACHINE DETAILS

MACHINE	Body: M.S fabricated stationary chassis of angles, channels and Sheet fitted with hydraulic jacks for compression. Hydraulically operated power pack with 7.5 HP Ac Motor, sweep,oil cooling system.
CONVEYOR BELT	Conveyor Belt 1 Pcs. : to shift mixed activated raw material from pan mixer to the hopper of the press. 18 feet long rubber conveyor belt is mounted on structural fitted with 2 HP Motor
PAN MIXER	Pan Mixer 1 Pcs. : 1500 mm Diameter fabricated with structural mild steel with replicable inner fitted with 7.5 HP Motor, oil fitted reduction gear box feeding hoper with a capacity to mix 400 kg raw materials
POWER PACK	Manually Hand Operated Hydraulic Power Pack with 7.5 HP Motor Connection, joint with PCM,Pressure Gauge ,Pipe Lines
TOTAL POWER	17 HP connection
OIL TANK CAPACITY	250 liters.
PALLET TRUCK	Pallet truck 2 Piece: To lift the raw material and stocks to one to another place this is a manually operated on structural mild steel chassis with tyres
NOTE	With Toolbox Free


MODEL (AEW :015) Automatic 4 Bricks Making Machine (Only Bricks Making)



MACHINE DETAILS

MACHINE	Body: Heavy Duty 1 Piece : M.S fabricated stationary chassis of angles, channels and Sheet fitted with hydraulic jacks for compression of 3000 PSI maximum Hydraulically operated power pack with 7.5 HP Ac Motor, sweep,oil cooling system.
CAPACITY	Fly Ash Bricks - 4 Pcs. In One Operation. Brick size: 9"×4"×3" Inches
PAN MIXER	Pan Mixer 1 Pcs. : 1500 mm Diameter fabricated with structural mild steel with replicable inner fitted with 7.5 HP Motor, oil fitted reduction gear box feeding hopper with a capacity to mix 400 kg raw materials
CONVEYOR BELT	Conveyor Belt 1 Pcs. : to shift mixed activated raw material from pan mixer to the hopper of the press. 18 feet long rubber conveyor belt is mounted on structural fitted with 2 HP Motor
POWER PACK	High Pressure , Low Pressure Pump, Control valve,PCM, Pressure Gauge, Pipe line, Oil Tank Capacity 300 Litter, PLC Panel Board Etc.
TOTAL POWER	17 HP/13 kw connection
MAN POWER	Total : 5 to 6 (1 person skilled)


MODEL (AEW :016) Semi Automatic Vibro Based Brick And Block Making Machine




MACHINE DETAILS

MACHINE	Specially designed Heavy M.S Square Pipe structure For Main Machine. Advanced vibro compacting technology specially designed to produce high quality Flyash bricks, concrete Paver blocks. Synchronized and balanced ultra vibration system provided for uniform vibration along each cavity with 2 HP Vibrator motors.
CAPACITY	 Solid Blocks – Size: 12 X 8 X 6, 12 X 6 X 6 Inches  Fly Ash Bricks - 4 Pcs. In One Operation. Brick size: 9"×4"×3" Inches
PAN MIXER	Pan Mixer 1 Pcs. : 1500 mm Diameter fabricated with structural mild steel with replicable inner fitted with 7.5 HP Motor, oil fitted reduction gear box feeding hopper with a capacity to mix 400 kg raw materials
POWER PACK	Hydraulically Hand operated power pack with 5 HP motor, AC motor and 2 HP vibrating system. Oil tank Capacity : 200 ltrs. Approx (68 NO. Hydraulic Oil)
TOTAL POWER	14.5 HP 3 phase connection
MAN POWER	Total : 5 to 6 (1 person skilled)

Ms Bricks Mould



Ms Paver Mould



Ms Paver Mould



Chequered Tiles Mould



Pigment Colour




Chemicals




RUBBER MOULD



POWER-01- Zig Zag
Area=0.3472 Sq.Ft.
For 100 Sq.Ft.=288 Nos



POWER- 02- Cosmic
Area=0.5263 Sq.Ft.
For 100 Sq.Ft.=190 Nos



POWER- 03- Cosmic
Area=0.5263 Sq.Ft.
For 100 Sq.Ft.=190 Nos




POWER - 04 - Colorado
Area=0.4545 Sq.Ft.
For 100 Sq.Ft.=220 Nos



POWER - 05 - Damru
Area=0.40 Sq.Ft.
For 100 Sq.Ft.=250 Nos



POWER - 06 - Damru
Area=0.40 Sq.Ft.
For 100 Sq.Ft.=250 Nos




POWER - 07 - 10X10 Paver
Area=0.69 Sq.Ft.
For 100 Sq.Ft.=144 Nos



POWER - 08 - 10X10 Paver
Area=0.69 Sq.Ft.
For 100 Sq.Ft.=144 Nos



POWER - 09 - 10X10 Paver
Area=0.69 Sq.Ft.
For 100 Sq.Ft.=144 Nos



POWER - 10 - 10X5 Paver
Area=0.3472 Sq.Ft.
For 100 Sq.Ft.=288 Nos




POWER - 11 - Brooks
Area=0.50 Sq.Ft.
For 100 Sq.Ft.=200 Nos



POWER - 12 - Small I-Paver
Area=0.3086 Sq.Ft.
For 100 Sq.Ft.=324 Nos

RUBBER MOULD




POWER-13 - Medium I-Paver

Area=0.40 Sq.Ft.
For 100 Sq.Ft.=250 Nos



POWER-14 - Big I-Paver

Area=0.44 Sq.Ft.
For 100 Sq.Ft.=225 Nos



POWER-15 - Hexagon

Area=0.39 Sq.Ft.
For 100 Sq.Ft.=255 Nos



POWER-16 - Star

Area=0.40 Sq.Ft.
For 100 Sq.Ft.=250 Nos



POWER-17 - Jhonson

Area=0.645 Sq.Ft.
For 100 Sq.Ft.=155 Nos




POWER-18 - 8X8(+) Paver

Area=0.44 Sq.Ft.
For 100 Sq.Ft.=225 Nos



POWER-19 - 8X8(-) Paver

Area=0.44 Sq.Ft.
For 100 Sq.Ft.=225 Nos



POWER-20 - 8X8 Star Paver

Area=0.44 Sq.Ft.
For 100 Sq.Ft.=225 Nos




POWER-21 - 8X8 Stone Paver

Area=0.44 Sq.Ft.
For 100 Sq.Ft.=225 Nos




POWER-22 - Full Moon & Spider

Area=0.3086 Sq.Ft.
For 100 Sq.Ft.=324 Nos



POWER-23 - Flower Set


Area=0.445 Sq.Ft.
For 100 Sq.Ft.=110+110=220 Nos



POWER-24 - Double D

Area=0.48 Sq.Ft.
For 100 Sq.Ft.=208 Nos

RUBBER MOULD




POWER- 25 - Hexa
Area=0.42 Sq.Ft.
For 100 Sq.Ft.=80+160 Nos




POWER- 26 - Galaxy
Area=0.8 Sq.Ft.
For 100 Sq.Ft.=125 Nos




POWER- 27 - Perashoot
Area=0.30 Sq.Ft.
For 100 Sq.Ft.=330 Nos




POWER - 28 - 12X4.5 Bricks
Area=0.3759 Sq.Ft.
For 100 Sq.Ft.=266 Nos




POWER - 29 - Arrow
Area=0.2564 Sq.Ft.
For 100 Sq.Ft.=390 Nos



POWER - 30 - Rocky
Area=0.44 Sq.Ft.
For 100 Sq.Ft.=276 Nos



POWER - 31 - Diamond
Area=0.34 Sq.Ft.
For 100 Sq.Ft.=295 Nos



POWER - 32 - Trihex
Area=0.277 Sq.Ft.
For 100 Sq.Ft.=360 Nos



POWER - 33 - Robo Brook
Area=0.39 Sq.Ft.
For 100 Sq.Ft.=256 Nos



POWER - 34 - Grass Paver
Area=1 Sq.Ft.
For 100 Sq.Ft.=100 Nos



POWER - 35 - Grass Paver
Area=1 Sq.Ft.
For 100 Sq.Ft.=100 Nos



POWER - 36 - Courb Stone
Size = 300x300x80/100/150
Size = 300x450x80/100/150
Size = 300x550x80/100/150
Size = 300x600x100/150

Products We Are Using



TATA STEEL



ESSAR STEEL LTD.

DOWTY



**Shreeji Motors
Co.**

Rexroth
Bosch Group



SIEMENS



Smart solutions.
Strong relationships.



CONTACT US
FOR ANY QUERY



● HEAD OFFICE

JAY SHREE ASHAPURA ENG. WORKS®
Morbi-363641 (Gujarat) INDIA
+91 9737586319 / 7990456489
Email: ashapura.engg.1@gmail.com
WEB: jayshreeashapuraengworks.com

